

| |
|--|
| |
|--|

| |
|-------|
| Date: |
|-------|

| |
|---------|
| Client: |
|---------|

| |
|----------|
| Project: |
|----------|



5411C-071S

¾" thermostatic mixer.


5411C-071SUP = Thermostatic mixer 5400T.

5411C-071SAP = Handle NR51, handle NR52, handle NR64G, 160 mm fixed spout 010C, hand shower and hand shower holder with non-return valve 070S, hose 1500 mm, 60 mm circular flanges: 2 pcs. 001, 1 pcs. 001G, 3 pcs. 2001.

Flow

| | Bar: | 1.0 | 2.0 | 3.0 | 4.0 | 5.0 |
|--------------------|-------------|------------|------------|------------|------------|------------|
| 010C | (l/min) | 15.0 | 21.2 | 26.0 | 30.0 | 30.0 |
| 070S ¹⁾ | (l/min) | 6.9 | 9.8 | 12.0 | 13.9 | 15.5 |

¹⁾ USA: Flow restricted to 2.0 gpm (7.6 l/min)




Available in colors


| | |
|---------------------------|-----------------------------------|
| Color 02, Grey | Color 21, Carmine red |
| Color 04, Light blue | Color 25, Pink |
| Color 05, Orange | Color 27, Matt black |
| Color 06, Light green | Color 28, Matt white |
| Color 08, Yellow | Color 40, Brushed stainless steel |
| Color 09, Dark grey | Color 60, Black |
| Color 12, Mocca | Color 61, Brushed black |
| Color 14, Bright red | Color 62, Deep black |
| Color 15, Dark blue | Color 63, Copper |
| Color 16, Polished chrome | Color 64, Brushed Copper |
| Color 17, Gloss black | Color 65, Gold |
| Color 18, White | Color 68, Silver |
| Color 19, Natural brass | Color 70, Brushed Gold |
| Color 20, Brushed chrome | |




001
60 mm circular flange.
Hole Ø30 mm.



001G
60 mm circular flange. Hole Ø33 mm.





010C
160 mm fixed spout for high flow.








070S
Hand shower, hand shower holder and hose with non-return valve.



2001
60 mm circular flange.
Hole Ø39 mm.




5400T
Thermostatic mixer with diverter, fixed outlet socket and one separate outlet socket, 200M.
¾" connection to copper, steel, iron or pex pipe work




**NR51**

On/off handle for series 5000.

**NR52**

Thermostatic handle for series 5000.

**NR64G**

Diverter handle for 5400/5600.

With peg in the same colour as handle (Standard).

