

|  |
|--|
|  |
|--|

|          |
|----------|
| Date:    |
| Client:  |
| Project: |



**5474L**

¾" thermostatic mixer.


5474LUP = Thermostatic mixer 5400FV.

5474LAP = Handle NR51, handle NR52, handle NR64G, hand shower and hand shower holder with non-return valve 070, hose 1500 mm, four-hole plate 60 x 387 mm 5004L.

**Flow**

|                   | Bar:    | 1.0  | 2.0  | 3.0  | 4.0  | 5.0  |
|-------------------|---------|------|------|------|------|------|
| 5400FV            | (l/min) | 18.5 | 26.1 | 32.0 | 37.0 | 41.3 |
| 070 <sup>1)</sup> | (l/min) | 5.2  | 7.3  | 9.0  | 9.0  | 9.0  |

<sup>1)</sup> USA: Flow restricted to 1.8 gpm (7.0 l/min)





**Available in colors**


|                           |                                   |
|---------------------------|-----------------------------------|
| Color 02, Grey            | Color 21, Carmine red             |
| Color 04, Light blue      | Color 25, Pink                    |
| Color 05, Orange          | Color 27, Matt black              |
| Color 06, Light green     | Color 28, Matt white              |
| Color 08, Yellow          | Color 40, Brushed stainless steel |
| Color 09, Dark grey       | Color 60, Black                   |
| Color 12, Mocca           | Color 61, Brushed black           |
| Color 14, Bright red      | Color 62, Deep black              |
| Color 15, Dark blue       | Color 63, Copper                  |
| Color 16, Polished chrome | Color 64, Brushed Copper          |
| Color 17, Gloss black     | Color 65, Gold                    |
| Color 18, White           | Color 68, Silver                  |
| Color 19, Natural brass   | Color 70, Brushed Gold            |
| Color 20, Brushed chrome  |                                   |




**070**  
Hand shower, hand shower holder and hose with non-return valve.



**200M**  
Separate outlet socket.  
1/2" connection to copper, steel, iron or pex pipe work.




**5004L**  
Four-hole plate 60 x 387 mm (for 5400RV and 5400FV).  
Holes Ø39, Ø39, Ø39 and Ø30 mm.






**5400FV**

Thermostatic mixer with diverter and one fixed outlet socket.  
 3/4" connection to copper, steel, iron or pex pipe work.




**NR51**

On/off handle for series 5000.



**NR52**

Thermostatic handle for series 5000.



**NR64G**

Diverter handle for 5400/5600.

With peg in the same colour as handle (Standard).

